





www.nntnntnst.org.in



[www.utthantrust.org.in](http://www.utthantrust.org.in)



|                                                                                                                                                                |                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| दानकर्ता का नाम/पता<br>DONOR NAME/ADDRESS                                                                                                                      | समूह (ए बी ओ) आर एच टाइप<br>GROUP (ABO) Rh Type     |
| <b>Applicant Reg No: 14548/2023</b><br><b>Applicant : Mr VIVEK KUMAR</b><br><b>DOR : 26/06/2023</b><br><b>Patient: BHAVYA BHAVYA</b><br><b>Department : NS</b> | DATE OF DONATION                                    |
| 9290/2023<br><br>DOC:26/06/2023<br>DOE:07/08 2023                             | चिकित्सा अधिकारी के हस्ताक्षर/<br>Signature of M.O. |
| (जब रक्त की आवश्यकता हो तो इस कार्ड को प्रस्तुत करें)<br>(Present this card when blood is required)                                                            |                                                     |

|                                                                                                                                                                    |                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| दानकर्ता का नाम/पता                                                                                                                                                | समूह (ए बी ओ) आर एच टाइप<br>GROUP (ABO) Rh Type     |
| <b>Applicant Reg No: 14567/2023</b><br><b>Applicant : Mr AMITABH KUMAR S</b><br><b>DOR : 26/06/2023</b><br><b>Patient: BHAVYA BHAVYA</b><br><b>Department : NS</b> | DATE OF DONATION                                    |
| 9298/2023<br><br>DOC:26/06/2023<br>DOE:07/08 2023                               | चिकित्सा अधिकारी के हस्ताक्षर/<br>Signature of M.O. |
| (जब रक्त की आवश्यकता हो तो इस कार्ड को प्रस्तुत करें)<br>(Present this card when blood is required)                                                                |                                                     |

हृदय वक्ष एवं तंत्रिका विज्ञान केन्द्र

ब० रो० वि०

अ० भा० आ० सं०, नई दिल्ली - 110029

Cardiothoracic & Neurosciences Centre, O.P.D.

A.I.I.M.S., New Delhi-110029

31

विभाग  
Deptt.

ब० रो० वि० सं०  
O.P.D. No.

NS 2023/017/0003308  
UHID: 106589782


Neuro Surgery-I  
Neuro Surgery

MON, THU

Name BHAVYA  
S/O VIVEK KUMAR

Gen

IM / Male



Dr. G D SATYARTHEE

Consultant Room 17  
SR Room:

Registration Time: 8.30 AM - 10.30 AM

Thursday Only: 12.30 PM - 2.30 PM

Diagnosis

www.utthantrust.org.in

by ASD  
ventral Hernia  
Inguinal Hernia  
Meningocele  
B/L club foot  
Paraparesis

A.N.

Prognosis explained in view  
of multiple birth defect  
as no improvement in power  
MRI spine with screen of  
C5 Junction Scarph  
Borum  
Tonobersen daps simt daily  
G.D.



अखिल भारतीय आयुर्विज्ञान संस्थान, नई दिल्ली  
All India Institute Of Medical Sciences, New Delhi

UHID: 106589782 Sex: Male  
Patient Name: Mr BHAVYA BHAVYA Sample Received Date: 25-JUNE-2023  
Age: 1m 0d Department: Neuro Surgery  
Lab Name: Dept of Laboratory Medicine Lab Sub Centre: Smart Lab New OPD Block  
Reg Date: 25-JUNE-2023 Sample Collection Date: 25-JUNE-2023  
Recommended By: Dr. P. SHARAT CHANDRA Lab Reference No: 2312184393

Sample Details : LC1803231791

Sample Type : Serum

Report

BIOCHEMISTRY

| Test Name (Methodology)                      | Result | UOM    | Reference |
|----------------------------------------------|--------|--------|-----------|
| Urea (Urease/GLDH)                           | 17     | mg/dL  | 17 - 49   |
| Creatinine (Jaffe compensation)              | 0.1    | mg/dL  | 0.2 - 0.4 |
| Uric Acid (enzymatic colorimetric)           | 2.6    | mg/dL  | 3.4 - 7.0 |
| Calcium (3-Nitro-5-methyl-BAPTA)             | 9.8    | mg/dL  | 9-11      |
| Phosphorus (amolybdate U)                    | 5.6    | mg/dL  | 2.5-4.5   |
| Sodium (Ion Selective Electrodes)            | 132    | mmol/L | 135 - 145 |
| Potassium (Ion Selective Electrodes)         | 4.9    | mmol/L | 3.5-5.1   |
| Chloride (Ion Selective Electrodes)          | 96     | mmol/L | 98-107    |
| Bilirubin (T) (Colorimetric diazo)           | 0.27   | mg/dL  | 0 - 1     |
| Bilirubin (D) (Diazo Gen. 2 Jendrassik-Grof) | 0.14   | mg/dL  | 0 - 0.2   |
| Bilirubin (I) (Calculated)                   | 0.13   | mg/dL  | 0 - 0.9   |
| ALT (IFCC without pyridoxal phosphate)       | 40     | U/L    | 0 - 60    |
| AST (IFCC without pyridoxal phosphate)       | 41     | U/L    | <=40      |
| ALP (IFCC)                                   | 334    | U/L    | 122 - 469 |

-----End of Report-----

Dr. Sudip Kumar Datta  
(Biochemistry & Immunoassay)

Dr. Tushar Sehgal  
(Hematology & Coagulation)

Dr. Suneeta Meena  
(Serology)

Dr Sudip Kumar Datta MD  
(Biochemistry)

25-JUNE-2023

Attention: Please collect blood samples by puncturing the rubber cap of the vacutainers. Manual opening of caps and filling it must be avoided strictly. Lab reports are subjected to pre-analytical errors due to inappropriate patient preparation, phlebotomy practices, storage and transport. Please inform SMART Lab in case of any discrepancies with the expected results on the same day on Ext.no. 2526

**ECHOCARDIOGRAPHY REPORT**

CENTRE FOR INTEGRATIVE MEDICINE & RESEARCH (CIMR)  
ALL INDIA INSTITUTE OF MEDICAL SCIENCES, NEW DELHI-110029

NAME Bharya AGE 1m SEX MF  
ECHO No. 9247/23 CV No. \_\_\_\_\_ UHID No. 106589382 CR. No. \_\_\_\_\_  
HEIGHT \_\_\_\_\_ cm WEIGHT 3 kg. BSA \_\_\_\_\_ m<sup>2</sup> Ref. Physician Dr. Nitin

Referring Diagnosis \_\_\_\_\_  
Quality of Imaging Poor/Adequate/Good Done by Dr. Neha Checked by Dr. \_\_\_\_\_

**MITRAL VALVE**

Morphology Normal / Thickening / Calcification / Flutter / Vegetation / Prolapse / SAM / Doming  
PML Normal / Thickening / Calcification / Prolapse / Paradoxical motion / Fixed.  
Subvalvular deformity Present / Absent Score \_\_\_\_\_  
Doppler Normal / Abnormal  
Mitral stenosis Present / Absent RR interval \_\_\_\_\_ msec  
EDG \_\_\_\_\_ mmHg MDG \_\_\_\_\_ mmHg MVA \_\_\_\_\_ cm<sup>2</sup>  
Mitral regurgitation Absent / Trivial / Mild / Moderate / Severe

**TRICUSPID VALVE**

Morphology Normal / Atrial / Thickening / Calcification / Prolapse / Vegetation / Doming  
Doppler Normal / Abnormal  
Tricuspid stenosis Present / Absent RR interval \_\_\_\_\_ msec  
EDG \_\_\_\_\_ mmHg MDG \_\_\_\_\_ mmHg  
Tricuspid regurgitation Absent / Trivial / Mild / Moderate / Severe Fragmented Signal \_\_\_\_\_  
Velocity \_\_\_\_\_ m/sec Pred. RSVF \_\_\_\_\_ %

**PULMONARY VALVE**

Morphology Normal / Atrial / Thickening / Doming / Vegetation  
Doppler Normal / Abnormal  
Pulmonary stenosis Present / Absent Level \_\_\_\_\_  
PSG \_\_\_\_\_ mmHg Pulmonary annulus \_\_\_\_\_ mm  
Pulmonary regurgitation Present / Absent  
Early diastolic gradient \_\_\_\_\_ mmHg End diastolic gradient \_\_\_\_\_ mmHg

**AORTIC VALVE**

Morphology Normal / Thickening / Calcification / Restricted Opening / Flutter / Vegetation No. of cusps 1/2/3/4  
Doppler Normal / Abnormal  
Aortic stenosis Present / Absent Level \_\_\_\_\_  
PSG \_\_\_\_\_ mmHg Aortic annulus \_\_\_\_\_ mm  
Aortic regurgitation Absent / Trivial / Mild / Moderate / Severe

Echocardiography report (continued....2)

**Measurements**

Aorta 6.6  
LV es 9.  
IVS ed 3  
RV ed 6.5  
EF 60%  
IVS Motion \_\_\_\_\_  
IAS \_\_\_\_\_

**Normal Values**

(21-22mm/m<sup>2</sup>)  
(16-19mm/m<sup>2</sup>)  
(06-10mm)  
(4-14mm/m<sup>2</sup>)  
(62-80%)  
Normal / Flat / Paradoxical

LA es 2  
LV ed 16  
PW(LV)ed 3  
RV Anterior wall \_\_\_\_\_

**Normal Values**

(21-22 mm/m<sup>2</sup>)  
(19-32 mm/m<sup>2</sup>)  
(07-11mm)  
(upto 5mm)

**CHAMBERS**

LV Normal / Enlarged / Clear / Thrombus / Hypertrophy  
Contraction Normal / Reduced  
LA Normal / Enlarged / Clear / Thrombus  
RA Normal / Enlarged / Clear / Thrombus  
RV Normal / Enlarged / Clear / Thrombus

**PERICARDIUM**

Normal / Thickened / Calcification / Effusion.

**REMARKS**

St. ec. SPV-DIA, AVA concordance, NAGA  
No tiny ASD L-R shunt 1.5mm  
No VSD/PDA/FOA  
No RVD  
No clot/fungus/PE  
Normal BV function

**TEE**

**DIAGNOSIS**

**Final Impression**

Tiny DS-ASD / normal BV function

Neha  
Resident

Consultant

www.utthantrust.org.in



अखिल भारतीय आयुर्विज्ञान संस्थान, नई दिल्ली  
All India Institute Of Medical Sciences, New Delhi

UHID: 106589782 Sex: Male  
Patient Name: Mr BHAVYA BHAVYA Sample Received Date: 25-JUNE-2023  
Age: 1m 0d Department: Neuro Surgery  
Lab Name: Dept of Laboratory Medicine Lab Sub Centre: Smart Lab New OPD Block  
Reg Date: 25-JUNE-2023 Sample Collection Date: 25-JUNE-2023  
Recommended By: Dr. P. SHARAT CHANDRA Lab Reference No: 2312184057

Sample Details : LH1803231292

Sample Type : Whole Blood

Report

HEMATOLOGY

| Test Name (Methodology)         | Result | UOM                | Reference   |
|---------------------------------|--------|--------------------|-------------|
| Hb (SI, Spectrometry)           | 12.90  | g/dL               | 11.5 - 16.5 |
| Hematocrit (Direct Measure)     | 36.20  | %                  | 33 - 53     |
| RBC count (Impedance)           | 3.81   | $10^6/\mu\text{L}$ | 3.0 - 5.4   |
| WBC count (Flow flow cytometry) | 11.92  | $10^3/\mu\text{L}$ | 5.0 - 19.0  |
| Platelet count (Impedance)      | 289.00 | $10^3/\mu\text{L}$ | 200 - 500   |
| MCV (Calculated)                | 95.00  | fL                 | 92 - 116    |
| MCH (Calculated)                | 33.90  | pg                 | 30 - 36     |
| MCHC (Calculated)               | 35.60  | g/dL               | 29 - 37     |
| RDW-CV (Calculated)             | 13.70  | %                  | 11.6 - 14   |
| Neutro (Flow flow cytometry)    | 20.50  | %                  | 27-67%      |
| Lympho (Flow flow cytometry)    | 59.40  | %                  | 18-38%      |
| Eosino (Flow flow cytometry)    | 12.50  | %                  | 1-4%        |
| Mono (Flow flow cytometry)      | 2.30   | %                  | 1-12%       |
| NRBC                            | 0      | %                  |             |
| Baso (Flow flow cytometry)      | 0.30   | %                  | 0-1%        |
| Neutro - Abs (Calculated)       | 2.44   | $10^3/\mu\text{L}$ | 3.0-9.0     |
| Lympho- Abs (Calculated)        | 7.08   | $10^3/\mu\text{L}$ | 3.0-16.0    |
| Eosino - Abs (Calculated)       | 1.49   | $10^3/\mu\text{L}$ | 0.2 - 1.0   |
| Mono - Abs (Calculated)         | 0.87   | $10^3/\mu\text{L}$ | 0.3 - 1.0   |
| Baso - Abs (Calculated)         | 0.04   | $10^3/\mu\text{L}$ | 0.02 - 0.1  |

----End of Report----

Dr. Sudip Kumar Datta  
(Biochemistry & Immunoassay)

Dr. Tushar Sehgal  
(Hematology & Coagulation)

Dr. Suneeta Meena  
(Serology)

Dr. Ranjan Yadav MD (Lab  
Medicine)

25-JUNE-2023

**Attention:** Please collect blood samples by puncturing the rubber cap of the vacutainers. Manual opening of caps and filling it must be avoided strictly. Lab reports are subjected to pre-analytical errors due to inappropriate patient preparation, phlebotomy practices, storage and transport. Please inform SMART Lab in case of any discrepancies with the expected results on the same day on Ext.no. 2526





अखिल भारतीय आयुर्विज्ञान संस्थान, नई दिल्ली  
All India Institute Of Medical Sciences, New Delhi

UHID: 106589782 Sex: Male  
Patient Name: Mr BHAVYA BHAVYA Sample Received Date: 25-JUNE-2023  
Age: 1m 0d Department: Neuro Surgery  
Lab Name: Dept of Laboratory Medicine Lab Sub Centre: Smart Lab New OPD Block  
Reg Date: 25-JUNE-2023 Sample Collection Date: 25-JUNE-2023  
Recommended By: Dr. P. SHARAT CHANDRA Lab Reference No: 2312184051

Sample Details : LB180323172

Sample Type : Whole Blood

Report

HEMATOLOGY

| Test Name (Methodology) | Result | UOM | Reference   |
|-------------------------|--------|-----|-------------|
| PT (Mechanical Clot)    | 14.70  | sec | 12.8 - 22.4 |
| INR                     | 1.09   |     | 0.8-1.2     |
| APTT (Mechanical Clot)  | 35.40  | sec | 29.1 - 35.5 |

Remarks:

1. All samples sent for coagulation must be filled till the frosted mark on the vial.
2. Blood samples should not be collected from intravenous lines.
3. Normal coagulation results do not exclude clotting abnormalities.
4. In results above the normal range-
  - a. Heparin contamination must be excluded
  - b. Clinical correlation for history e.g liver disease ,prolonged antibiotic usage, infection, bleeding disorder, neoplasm etc should be done
5. Abnormal results may be followed up by repeating, mixing studies , factor assays or inhibitor testing, etc.
6. For thrombophilia testing samples should be sent 4-6 weeks after the acute episode to prevent false positive results.
7. In case of any discrepancies noted please communicate with lab immediately on the numbers provided

-----End of Report-----

Dr. Sudip Kumar Datta  
(Biochemistry & Immunoassay)

Dr. Tushar Sehgal  
(Hematology & Coagulation)

Dr. Suneeta Meena  
(Serology)

Dr Tushar Sehgal DM  
(Hematopathology)

25-JUNE-2023

**Attention:** Please collect blood samples by puncturing the rubber cap of the vacutainers. Manual opening of caps and filling it must be avoided strictly. Lab reports are subjected to pre-analytical errors due to inappropriate patient preparation, phlebotomy practices, storage and transport. Please inform SMART Lab in case of any discrepancies with the expected results on the same day on Ext.No. 2526